


- flooring profiles
- hardwood flooring
- engineered wood flooring
- skirtings
- metal profiles for floorings
- sports flooring
- stair panels
- table tops
- solidwood boards and many more

parquetfloor

🌐 www.parquetfloor.in ✉ parquetfloor@gmail.com

PARQUETFLOOR : The business started in the name and style of **PARQUETFLOOR** in the year 1995...with a mission to give quality products to the Architects, Interior designers & those who want to use quality products for home building & interiors. It started with the manufacturing of parquet flooring tiles/parquet fingers and mouldings. As we progressed by introducing more & more quality products every year, we have now a product range which matches the products being imported from Germany, China and many others countries.



JUST TO NAME A FEW PRODUCTS BEING MANUFACTURED, IMPORTED & TRADED BY US :

- SOLIDWOOD FLOORING
- PARQUET FLOORING
- PRE- POLISHED WOODEN FLOORING
- LAMINATED WOODEN FLOORING PROFILES
- VENEERED WRAPPED MDF PROFILES
- PAPER WRAPPED MDF PROFILES, SKIRTINGS IN LAMINATE- VENEER-PAPER-METAL etc.
- SOLIDWOOD PROFILES
- METAL PROFILES FOR FLOORINGS IN WOODGRAINS
- STAINLESS STEEL PROFILES
- FINGER JOINTED SOLID WOOD BOARDS
- TABLE TOPS MADE FROM FINGER JOINTED BOARD
- SQUARE TILES IN ENGINEERED FLOORING
- ENGINEERED FLOORING WOODEN TILES
- STAIR PANELS IN WOOD








.....AND MANY MORE CUSTOMIZED PRODUCTS FOR FLOORS & WALLS .

LAMINATED PROFILES FOR WOODEN FLOORING

Our range for the laminated profiles include

- REDUCERS
- TRANSITION PROFILES (T-FILES)
- BEADING QUARTER TYPE
- BEADING FLAT TYPE
- BEADING CONCAVE TYPE (SCOTIA)
- SKIRTINGS
- STAIRNOSE PROFILES
- L-TYPE PROFILES
- MARJIN TYPE PROFILES
- END PROFILES
- U SHAPED PROFILES



the profiles and Skirting are made by wrapping laminates on MDF under heat & pressure to give the desired shape, by post forming machines. Best quality laminates & adhesives are used to wrap on MDF in desired shapes, which lasts for years together. More than 200 shades are available to match with various types of laminated wooden floorings.







FLOOR PROFILES :

- LAMINATED PROFILES
- METAL PROFILES
- VENEER WRAPPED MDF-HDF PROFILES & MOULDINGS - CORNICES
- PAPER WRAPPED MDF/HDF PROFILES & MOULDINGS
- SOLIDWOOD PROFILES
- STAINLESS STEEL PROFILES
- METAL PROFILES IN WOODGRAINS

(FOR LAMINATED/ CERAMICS / HARDWOOD/ CARPETS/ VINYL ETC.)

TRANSITION PROFILES :


also known as T-moulding-or-T profile : when two adjoining floors are of the same height, we need to use T-profile to cover the expansion gap between two floors ie. to connect two equal height woodfloors and conceal the expansion gap given. The two floors can be both wooden or one each ceramic, marble of the same height. T-profile is available in laminated MDF/HDF or aluminum matt silver, aluminum wood grains in various colours. Also available in stainless steel custom designs in matt & glossy finish. After the flooring has been done, you need some of flooring accessories e.g. T-profile, Reducer profile, Skirting, End cap or End profile to give a finishing touch to the kind of flooring done i.e. wooden flooring, carpet, solidwood flooring, engineered flooring or even ceramic flooring , vinyl floorings etc.



REDUCERS:

For a height difference between two adjoining floors, reducer profile is a perfect choice as it ensures a seamless connection with a lower floor, which can be either Ceramic, Marble, Carpet, Vinyl etc. Available in laminate wrapped MDF profiles, aluminum with woodgrain & hardwood i.e. oak wood or white ash wood specifications with colours matching to the woodfloors.

Specification: MDF Laminated : (12 x 47) mm or customized **Colours :** Many colour to match **Alumenium profiles range :** (T/R combi) 40mm with concealed screws



SKIRTINGS :



Useful for an elegant finishing to the flooring touching with wall. Skirting covers the expansion gap between flooring and walls. The skirting is available in matching colours with the flooring done, can be woodfloor, carpets, ceramics, solidwood flooring, engineered woodfloors, parquetfloors or vinyl flooring. Skirting beautifies all the floor coverings. A must for all the floor coverings. Available in more than 200 colours to match & choose from. Available as low as height at 50mm and height of up to 200mm to clad the wall bottom touching flooring, thickness starting 12mm to 18mm or customised.

Specifications : Size : (50 to 200) mm height | 8ft length & (12 to 18) mm thickness

Colours : Many colours to match & choose from





- LAMINATE WRAPPED MDF / HDF SKIRTINGS
- VENEER WRAPPED MDF / HDF SKIRTINGS
- PAPER WRAPPED MDF / HDF SKIRTINGS
- SOLIDWOOD SKIRTINGS
- ALUMENIUM SKIRTINGS
- STAINLESS STEEL SKIRTINGS
- WOODGRAINS ON ALUMENIUM SKIRTINGS



BEADINGS:





Various types of beadings are available to finish the wooden flooring/ carpets tiles/ parquet flooring etc. quarter beading flat type beading & scotia (concave type)

Beadings are normally used to cover the expansion gap between wooden flooring/ hardwood flooring and walls or fixed type furniture in the room. Any type of beading can be used to cover the gap, the purpose remains the same, or sometimes you do not want a skirting and also where already marble/ ceramic/ wooden skirting is there, the choice would remain beading quarter/ flat or concave. Beadings are also available in wide colour range and as, laminated on MDF, veneered wrapped on MDF, paper wrapped on MDF, solid wood beading



STAIRNOSE PROFILES :

Stairnose profiles are used to finish the wooden flooring done on the stairs, whatever flooring we use i.e. laminated wooden flooring, hardwood flooring, engineered & even carpets and ceramic or vinyl flooring, stairnose profiles reflect an elegant look to each of the stairs. Stairnose (laminated) offers anti-abrasive properties to the stairtreads. Need to choose stairnosing profile and match with the thickness of the flooring i.e. 8mm to 18mm in case of hardwood flooring on the stairs. Available laminated stair nosing, solid wood stairnosing in oak & white ash wood, veneer wrapped MDF stairnosing aluminium in matt & silver stainless steel in matt & glossy finish. Also available as L type profile to cover the stair tread corners in size of 1"x1" & 1.5" x 1.5" on stairs or 43 x20mm in o matt silver as stairnosing. (Laminated Veneered-Solidwood - Metal-brass aluminium in woodgrain-stainless steel.)




L- TYPE PROFILES :

From approx more than 200 shades of laminates to match with your laminated flooring, engineered, hardwood, ceramics etc. In laminated form available as 25x25mm; 25x50mm; 37x37mm etc. can be used to cover as wall corners or customised size. the MDF thickness remain as 4-5mm. Also available in aluminum / aluminum with woodgrains colours ; paper wrapped MDF & even in solidwood. The metal L-type can be used as corners for the wall to protect wall corners, wall panelling & pillars etc. to beautify and protect the pillars in hospitals/ airports from trolleys etc. on the flooring as on stairs as well as on the pillar corners.



MARJINS :





Very useful profile with one side 5mm thick & other side pointed nosing to cover the top part of the cut skirting + already existing marble/ ceramic skirting with flat top. A beautiful finish is the outcome of margin when used, It also protects dust etc entering the skirting top area. Available in laminated mdf & matching colours to suit to the flooring colour used. Even only 8mm flooring when used as cut skirting, margin can be conserved as cap i.g suitable for flooring plank cut skirtings from 8mm to 18mm + the existing marble skirting up to 18mm. a good product indeed ! Available in laminated MDF & even can be made in solid wood & coloured margins as per the decor colour of flooring.



END PROFILES :


Also known as end cap, or end molding ,which is useful to cover the gap between the wall & the floor covering also for the edges of the floorings as the connection to finishing the sliding window or a slide door. Very small & useful finish to the floor, which looks extremely beautiful. Available as :End cap, L type end cap, F type end cap as wear & scratch resistant laminate product. End profile is available in laminated MDF/ Veneered MDF/ paper on MDF, aluminum & stainless steel & even in solid wood (oak/white ash)

Specifications : (32x12 & 21x12) mm or customized




STAINLESS STEEL PROFILES FOR FLOORS :


The stainless steel sheets ranging from 0.8mm to 1.5mm are cut & then moulded / or bent to give shapes of various kind of profiles suitable for laminated wooden flooring, ceramics, marble, hardwood flooring, carpets & carpets tiles, vinyl flooring, parquet flooring etc. some of the shapes are shown in pics below. To name few: These profiles are long lasting, non- rusting useful to protect the floor from mechanical damage i.e. trolleys etc. Ideal for ceramic tiles stair nosing. Strongly recommended for flooring on stairs, may be solidwood, engineered, laminated flooring, carpets & vinyl floorings etc. Available as Reducers - Transitions - End – Stairnose - Skirtings & customised profiles as per drawings of the designer architects.




SOLIDWOOD PROFILES FOR FLOORS :

Mainly used for floors where solid wood flooring/ engineered wooden floorings being used. Real wood has unmatched beauty & so are the profiles in real wood. Mainly oak wood or white ash, seasoned with MC< 12%, is used to process solid wood profiles and skirtings, stairnose & other mouldings etc.






93




94



95




96



97



98




99




100




101



102



103



104



105



106



107




108



109



110




111




112




113



114




115



116



117
L Shaped profile



118



Margin Strip

119



120



121




Stair Nosing Profile
60 x 18 mm

122



123



124



End Profile
32 x 12 mm

125



Qtr Round Beading
18 x 18 mm

126



127




128



Transition Profile
45 x 12 mm

129



130




Skirting 60x18 mm



Skirting 60x12 mm


131



132



133





Adaptation Profile
45 x 12 mm

134

HARDWOOD FLOORING :




Engineered flooring, Parquet flooring, Parquet tiles and Parquet fingers, Dance floors, Stage flooring, Block flooring, Pre sanded parquet tiles, in square and brick pattern, Squash court Badminton court, Gym floors, Children indoor play areas, Decking (outdoor areas). Hardwood flooring is solidwood flooring in many forms






PARQUET TILES : Very small pieces of wood cut and laid on the floors with adhesive in different patterns, eg Square, Brick, Herringbone flooring & Basket weave known as parquet flooring, finishing of the parquet flooring is done by grinding and polishing at site only – for heavy traffic areas, various types of polish is available.

STAGE FLOORING : Any raised platform with or without wooden frame, stage flooring is done with four sides tongue & groove . The framework is filled with glass wool or thermocol sheets of high density for desired acoustics effects.

STAGE FLOORING IN AUDITORIUMS : Woodfloors is the best choice for stage in auditoriums, The front portion is finished with L type profile in laminated or metal 2'x 1" size for a elegant front look. The sides are covered with beading or skirting & the stairs with wooden stair panels or laminated planks to achieve finished stage of auditorium.







PRE SANDED PARQUET TILES : Available as pre-sanded form teakwood/ oak wood or wood of choice, ready to fix, square/brick pattern tiles for fixing on the smooth cemented floor, or any hard but smooth surface. If the floor is zero level no need for grinding - just fix with parquet adhesive and after filling the gaps with chalk powder or wood saw dust etc. mixed with filler adhesive. The floor now can be polished and is ready for usage after few hours of finishing. Suitable for homes, offices, stages or where site grinding is not permitted/or not possible. One can carry the pre- sanded tiles in very far areas where installation & workers is a problems & can be do-it – yourself.



BADMINTON COURT- SQUASH COURT- GYM FLOOR :

Four sides tongue and groove planks of 15-21mm thickness available and can be used on the wooden framework. Finishing can be done at the side or pre-polished planks are available .



Solidwood Boards : available in teak, white ash, acacia & oak wood, also customised solid wood board is in trend now a days because of its beauty & others features and appearance. Acacia and teakwood are popular woods which are very strong and durable and also with appealing looks. It does not require any decorative laminate cover because of their beautiful grains. Available in sheesham wood also and a non visible finger joint from top can also be made. The board comes as pre-sanded, ready to polish on one side.







Table tops : These are customised from solidwood finger jointed boards, as per size requirements ie. thickness, lengths if required, otherwise it is in pre-sanded form, ready to polish.

Stair Panels : These are customised from solidwood finger jointed boards as per size requirements of the site.



Maintenance and cleaning & of laminated wooden flooring:

Laminated wood floors are very easy to clean, just a damp cotton cloth which is needed to mop up the flooring. Prior to wet mopping the dust should be cleaned with broom and any sticky dirt can be cleaned with wet mop or vacuum cleaner, do not use any wax or floor cleaner except the recommended ones available in the market, for cleaning laminated wood floors.






LAMINATED WOODEN FLOORING :



Available over hundreds of shades to choose from and gradings as AC3/AC4/AC5 depending upon floor traffic, thickness varying from 8mm to 12mm. the laminated flooring has almost zero maintenance and longer length planks up to six ft are also available. The planks are interlocking and no adhesive is used to fix the flooring, also known as floating floors. After the flooring shade is decided depending on the area of usage, the matching accessories i.e. skirtings, beadings, T or reducer profiles are available to further beautify the laminated flooring. Laminated wooden flooring, is also available as ZIG ZAG type style i.e. herringbone design. Any plank which gets spoiled can be changed without any problems. Most of the fast moving International German & European brands in Laminated wooden flooring are available, to choose from .

[Stairpanels in wood.](#) | [Table tops in wood.](#) | [Solidwood boards](#)



These products are made from finger jointed boards manufactured by us. Pre sanded stair panels & table tops ready to polish with nosing done on all the four sites available with us.



**WOOD SEASONING
UNDERTAKEN**



**Anti-Slip
Tape** 175
Helps prevent slips and falls
• Durable grit surface
• Adheres to any clean dry surface
• Highly visible

  **9810158543, 9810617708, 9811152464** ✉ parquetfloor@gmail.com

Khasra No. 25/ 16, Opp. HUDA Plot No. 526, M.I.E.-A, Bahadurgarh (Jhajjar), Haryana, 124507

 www.parquetfloor.in

parquetfloor